

L Number	Hits	Search Text	DB	Time stamp
1	14	600/\$.ccls. and (westbrook.in. or levendowski.in. or cvetinovic.in. or berka.in. or furman.in.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/22 18:17
2	4	600/300-301,529-543.ccls. and (desaturation same ((peak or lowest or highest or nadir) with (saturation or resaturation)))	USPAT; EPO; JPO; DERWENT	2004/06/22 18:18
3	24	600/323,324,355.ccls. and (\$saturation with (peak or nadir or maximum or minimum or highest) with (compar\$ or threshold or limit))	USPAT; EPO; JPO; DERWENT	2004/06/22 18:33
4	3	600/\$.ccls. and ((\$saturation with (peak or nadir or maximum or minimum or highest) with (compar\$ or threshold or limit)) same (event or apnea or hypopnea or hyperpnea))	USPAT; EPO; JPO; DERWENT	2004/06/22 18:34
7	1	efficacy with neuromuscular with stimulation	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/22 19:20
9	52	effectiv\$ with neuromuscular with stimulation	USPAT; EPO; JPO; DERWENT	2004/06/22 19:19
10	17	("4167190"   "4254776"   "4390023"   "4411268"   "4505275"   "4519400"   "4690145"   "4827935"   "4830008"   "4907602"   "4926865"   "5016647"   "5033469"   "5133354"   "5423869"   "5755745"   "5891185").PN.	USPAT	2004/06/22 19:13
11	39	effect\$ with (neuromuscular adj stimulation)	USPAT; EPO; JPO; DERWENT	2004/06/22 19:17
17	1	10/040937	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/22 19:57
18	7	600/323,324,355,529-543.ccls. and (neuromuscular adj stimulation)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/06/22 19:58
20	3	600/\$.ccls. and ("SpO.sub.2" same desaturation same (abnormal or hypopnea or apnea or hyperpnea or arousal))	USPAT; EPO; JPO; DERWENT	2004/06/22 20:20
21	10	600/330.ccls. and (AC with equal with DC)	USPAT; EPO; JPO; DERWENT	2004/06/22 20:21
22	7	600/330.ccls. and (AC with "same" with DC)	USPAT; EPO; JPO; DERWENT	2004/06/22 20:22
23	65	600/529-543.ccls. and saturation and (report\$)	USPAT; EPO; JPO; DERWENT	2004/06/22 20:23

24	9	600/\$.ccls. and ((expert adj (system or center)) same (apnea or respiratory))	USPAT; EPO; JPO; DERWENT	2004/06/22 20:42
25	19	600/\$.ccls. and (((expert\$ or central\$) with (center or central or \$computer or \$processor)) same (arousal or awake\$) same (((class or classif\$) with event) or apnea or hyperpnea or hypopnea))	USPAT; EPO; JPO; DERWENT	2004/06/22 20:43
26	20	600/\$.ccls. and ((database or server or (expert adj (system or center))) same (apnea or respiratory)) and (oximeter or oxygen or hemoglobin) and ((pulse or heart) adj rate)	USPAT; EPO; JPO; DERWENT	2004/06/22 20:43
27	24	600/\$.ccls. and (expert adj (system or center)) and apnea	USPAT; EPO; JPO; DERWENT	2004/06/22 20:44
28	4	600/\$.ccls. and server and apnea and ((pulse adj oximeter) or PPG or photoplethysmograph) and ((oxygen or oxyhemoglobin) with saturation) and ((pulse or heart) adj rate)	USPAT; EPO; JPO; DERWENT	2004/06/22 20:44
29	13	600/300-301,529-543.ccls. and (expert with (system or center)) and apnea	USPAT; EPO; JPO; DERWENT	2004/06/22 20:44
30	21	600/\$.ccls. and (expert adj (system or center)) and (respiratory with disease)	USPAT; EPO; JPO; DERWENT	2004/06/22 20:45
31	19	600/\$.ccls. and ((threshold or limit\$ or compar\$) same (((partial adj pressure) or concentration) or (( "ppO.sub.2" or "pO.sub.2") with saturation)) with (oxygen or "O.sub.2") with (\$oxyhemoglobin))	USPAT; EPO; JPO; DERWENT	2004/06/22 20:45
32	11	600/\$.ccls. and apnea and ((pulse adj oximeter) or PPG or photoplethysmograph) and ((computer or processor or microcomputer or microprocessor or circuitry) same arousal)	USPAT; EPO; JPO; DERWENT	2004/06/22 20:45
33	27	600/\$.ccls. and ((database or server) or ((computer or processor or circuitry) with analyze)) and apnea and ((pulse adj oximeter) or ppg)	USPAT; EPO; JPO; DERWENT	2004/06/22 20:55
34	10	600/\$.ccls. and (computer or processor or controller) and (server or expert or database) and (apnea or respiratory) and ((pulse adj oximeter) or ppg or photoplethysmograph\$) and ((oxygen or oxyhemoglobin) with (saturation or desaturation)) and (pulse adj rate)	USPAT; EPO; JPO; DERWENT	2004/06/22 20:55
35	6	128/\$.ccls. and (CPAP same time same pressure same (store or storage or memory))	USPAT; EPO; JPO; DERWENT	2004/06/22 21:08
-	6	600/\$.ccls. and bowers.in.	USPAT; EPO; JPO; DERWENT	2004/06/22 16:39
-	3	600/529-543,301.ccls. and (oxyhemoglobin adj saturation) and (pulse adj rate)	USPAT; EPO; JPO; DERWENT	2003/09/09 16:09
-	23	5605151.URPN.	USPAT	2003/09/09 16:00
-	5	("4365636"   "4630614"   "5275159"   "5385144"   "5398682").PN.	USPAT	2003/09/09 16:07
-	12	600/300-301,529-543.ccls. and ((database or server or (expert adj (system or center))) same (apnea or respiratory)) and (oximeter or oxygen or hemoglobin) and ((pulse or heart) adj rate)	USPAT; EPO; JPO; DERWENT	2003/09/09 20:15